

**Fontana**  
KNITTING BOOK

No. **404**

PRICE 1/3



Cover garment knitted in **FONTANA Lotus Triple Knit**  
See page 7





# DEAN

## MATERIALS:

**Fontana Sprite** Triple knitting  
Chest size  
34 36 38 40 42 44 ins  
1st 2nd 3rd 4th 5th 6th size  
18 18 20 20 22 22 ozs  
1 pair each No 4 and No 8  
knitting needles. 6 buttons.  
3 stitch holders.

**CAUTION:** Accurate results  
can be obtained only by using the  
**FONTANA** wool recommended.

## MEASUREMENTS:

Length from top of shoulder  
26 26 26½ 26½ 27 27 ins  
Length of sleeve seam (all  
sizes: 19 ins, or length re-  
quired.

**TENSION:** 8½ sts to 2 inches in  
width, measured over stst on  
No 4 needles.

*Check your tension carefully and if  
it does not correspond with the  
tension given use a larger or smaller  
size of needles.*

**ABBREVIATIONS:** See page 7.

**THE POCKET LININGS:** Using  
No 4 needles, cast on

20 20 22 22 24 24 sts

1st row: K.

2nd row: K 1, p to last st, k 1.

Rep 1st and 2nd rows 11  
times, then 1st row once. Break  
off wool. Leave these sts on a  
stitch holder. Work another  
Pocket Lining in same manner.

**RIGHT FRONT:** Using No 8  
needles, cast on

37 39 41 43 45 47 sts

1st row: K 2, \* p 1, k 1; rep  
from \* to last st, k 1.

2nd row: K 1, \* p 1, k 1; rep  
from \* to end of row.

Rep 1st and 2nd rows 5 times,  
inc once at beg of needle in last  
row.

38 40 42 44 46 48 sts

Using No 4 needles, proceed  
as follows:—

1st row: K.  
2nd row: P to last st, k 1.  
Rep 1st and 2nd rows 11  
times.

**Place Pocket** as follows:—

Next row: K

9 10 10 11 11 12 sts  
k next

20 20 22 22 24 24 sts  
on to a stitch holder and leave, k

9 10 10 11 11 12 sts

Next row: P

9 10 10 11 11 12 sts  
slip

20 20 22 22 24 24 sts  
from pocket lining sts on stitch  
holder on to left hand needle, p  
across these sts, p to last st, k 1.

Cont in stst until work meas-  
ures 16½ ins, or length required,  
from commencement, finishing at  
end of k row.

**Shape Raglan and Front Slope**  
as follows:—

1st row: Cast off

2 3 4 5 6 7 sts  
p to last 3 sts, p 2 tog, k 1.

2nd row: K to last 6 sts, k 2  
tog tbl, p 1, twist 2(k 2 tog, then  
k into front of 1st st and sl both  
sts off left hand needle tog), k 1.

3rd row: K 1, p 2, k 1, p to  
last st, k 1.

Cont dec at armhole edge in  
this manner in next and every  
alt row

19 19 19 22 22 22  
times, while at same time dec  
once at front edge (1 st in from  
front edge) in every foll

7th 7th 7th 7th 7th 7th  
row from previous dec 6 times  
until there are

6 6 7 7 8 8 sts  
on needle.

Cont dec at armhole edge only  
until all sts are worked off, not-  
ing that when 5 sts rem dec are  
worked on 2 sts at inside edge.

**LEFT FRONT:** Using No 8 nee-  
dles, cast on

37 39 41 43 45 47 sts

1st row: K 2, \* p 1, k 1; rep  
from \* to last st, k 1.

2nd row: K 1, \* p 1, k 1; rep  
from \* to end of row.

Rep 1st and 2nd rows 5 times,  
inc once at end of needle in last  
row.

38 40 42 44 46 48 sts

Using No 4 needles, proceed  
as follows:—

1st row: K.

2nd row: K 1, p to end of row.

Complete to correspond with  
Left Front, working shapings at  
opposite ends of needle and  
working k 2 tog in place of k 2  
tog tbl, and p 2 tog tbl, in place  
of p 2 tog.

**THE BACK:** Using No 8 nee-  
dles, cast on

77 81 87 91 97 101 sts

1st row: K 2, \* p 1, k 1; rep  
from \* to last st, k 1.

2nd row: K 1, \* p 1, k 1; rep  
from \* to end of row.

Rep 1st and 2nd rows 5 times.  
Using No 4 needles, proceed  
as follows:—

1st row: K.

2nd row: P.

Rep 1st and 2nd rows until  
work measures 16½ ins, or length  
required, from commencement,  
finishing at end of a p row.

**\*\* Shape Raglan Armholes** as  
follows:—

1st and 2nd rows: Cast off

2 3 4 5 6 7 sts  
work to end of row.

3rd row: K 1, twist 2, p 1, k  
2 tog, k to last 6 sts, k 2 tog tbl,  
p 1, twist 2, k 1.

4th row: K 1, p 2, k 1, p to  
last 4 sts, k 1, p 2, k 1. \*\*

Rep 3rd and 4th rows until  
21 21 23 23 25 25 sts  
rem. Cast off.

**SLEEVES:** (both alike). Using  
No 8 needles, cast on

41 43 45 47 49 51 sts



**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** K 1, \* p 1, k 1; rep from \* to end of row.

Rep 1st and 2nd rows 8 times, then 1st row once.

**20th row:** Work in rib inc evenly over the row.

1 3 3 5 5 7 sts

There are now

42 46 48 52 54 58 sts on needle.

Using No 4 needles, proceed as follows:—

Work in stst, inc once at each end of needle in 5th and every foll

7th 7th 7th 7th 6th 6th

row until there are

62 66 70 74 78 82 sts on needle.

Cont without shaping until side edge measures 18 ins, or length required, from commencement, finishing at end of a p row.

Work as given from \*\* to \*\* for Back.

Rep 3rd and 4th rows until 10 sts rem.

Proceed as follows:—

**1st row:** (K 1, p 2) 3 times, k 1.

**2nd row:** K 1, twist 2, k 2 tog, k 2 tog tbl, twist 2, k 1.

**3rd row:** K 1, p 6, k 1.

**4th row:** K 2, k 2 tog, k 2 tog tbl, k 2.

Cast off.

**FRONT BAND:** Using No 8 needles, cast on 11 sts.

**1st row:** K 1, twist 2, (p 1, k 1) twice, p 1, twist 2, k 1.

**2nd row:** K 1, p 2, (k 1, p 1) twice, k 1, p 2, k 1.

**3rd row:** K 1, twist 2, p 1, k 1, wl fwd, k 2 tog (for buttonhole), p 1, twist 2, k 1.


Cont in rib, working a buttonhole (as before) in every foll 20th row from previous buttonhole until 6 buttonholes have been worked from commencement.

Cont in rib until band is long enough to fit (slightly stretched) along fronts, across tops of sleeves and back of neck. Cast off tightly in rib.

**POCKET TOPS:** Slip

20 20 22 22 24 24 sts from stitch holder on to a No 8

FONTANA 404



needle so that wrong side of work will be facing when working 1st row.

**1st row:** K 1, p

8 8 9 9 10 10 sts

inc into next st, p

9 9 10 10 11 11 sts k 1.

**2nd row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**3rd row:** K 1, \* p 1, k 1; rep from \* to end of row.

Rep 2nd and 3rd rows once, then 2nd row once.

Cast off in rib.

Work other Pocket Top in same manner.

**TO MAKE UP:** Press lightly using a cool iron and a dry cloth. Sew sleeves to fronts and back. Sew side and sleeve seams. Slip stitch pocket linings in position on wrong side and pocket tops on right side of work. Sew on buttons to correspond with button holes. Press all seams.

END

Page Three





# DEREK

## MATERIALS:

Fontana Pebble Tweed

Chest size

34 36 38 40 42 44 ins

Wool required

20 21 21 22 23 25 ozs

Two No 7 and two No 10  
Paragon knitting needles. A set  
of 4 No 9 double pointed needles.  
2 stitch holders.

**CAUTION:** Accurate results can  
be obtained only by using the  
FONTANA wool recommended.

## MEASUREMENTS:

Length from shoulder to lower  
edge

27 27 27½ 27¼ 27½ 27½ ins

Sleeve seam

18 18 18¼ 18¼ 18½ 18½ ins  
(adjustable).

**TENSION:** 4½ sts and 6½ rows to  
1 square inch on No 7 needles, in  
stst.

*Check your tension carefully and if  
it does not correspond with the  
tension given use a larger or smaller  
size of needles.*

**ABBREVIATIONS:** See page 7.

**THE BACK:** Using No 7 needles, cast on

80 86 90 96 100 106 sts

Work in k 1, p 1 rib for 1½ ins,  
inc 1 st at end of last row on 1th,  
3rd and 5th sizes only

81 86 91 96 101 106 sts

Work in stst until work measures  
19¼ 19 19 18¾ 18¾ 18½ ins  
from beg.

**Shape Armholes:** Cast off 3 sts  
at beg of next 2 rows, then dec 1 st  
at both ends of next and every alt  
row until

63 68 71 76 79 84 sts

rem.

Cont on these sts until work  
measures

7½ 7½ 8 8¼ 8½ 8¾ ins

from beg of armhole shaping.

**Shape Shoulders:** 1st and 2nd  
rows: Cast off

9 10 11 12 12 13 sts

work to end.

3rd and 4th rows: Cast off

10 11 11 12 13 14 sts

work to end.

Slip rem

25 26 27 28 29 30 sts

on to a stitch holder.

## CREW NECK JERSEY

**THE FRONT:** Work as for back  
until work measures

4 4¼ 4 4¼ 4¼ 4½ ins

from beg of armhole shaping, finishing at end of a p row.

Next row: K

25 27 29 31 33 35 sts

k next

13 14 13 14 13 14 sts

on to a stitch holder, k

25 27 29 31 33 35 sts

Proceed on each group of sts as  
follows:—

Dec 1 st at neck edge on every  
alt row until

19 21 22 24 25 27 sts

rem.

Cont on these sts until work  
matches back to shoulder shaping,  
finishing at armhole edge.

Cont on page 6

FONTANA 404





## MATERIALS:

**Fontana Teepee** Crepe twist (D.K.) 20 (22) (24) ozs in Main shade and 1 (1) (1) oz of same wool for Contrast.  
1 pair each Nos 7 and 10 knitting needles. 1 set of four No 10 (12 inch).

**CAUTION:** Accurate results can be obtained only by using the FONTANA wool recommended.

**MEASUREMENTS:** To fit 40 (42) (44) in chest (casual fitting) Actual measurement 42 (44) (46) ins. Length from top of shoulder 26½ (27) (27½) ins. Length of sleeve seam 20 ins (all sizes).

**TENSION:** 11½ sts to 2 inches in width in stst.

*Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

**ABBREVIATIONS:** See page 7.

**THE FRONT:** Using No 10 needles and M, cast on 125 (131) (137) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** \* K 1, p 1; rep from \* to last st, k 1.

Rep 1st and 2nd rows 8 times.

Using No 7 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Rep 1st and 2nd rows until work measures 16 ins from commencement, or length required, finishing at end of a p row.

Shape Raglan armholes by casting off 6 sts at beg of next 2 rows.

Dec once at each end of needle in next and foll alt row. 109 (115) (121) sts.

Work 1 row without shaping. \*\*\*

Shape Neck as follows:—

**1st row:** K 2 tog, k 52 (55) (58), turn.

**2nd row:** P.

**3rd row:** K 2 tog, k to end of row.

**4th row:** As 2nd row.

**5th row:** K 2 tog, k to last 2 sts, k 2 tog. 50 (53) (56) sts.

Dec once at armhole edge in every alt row 14 (16) (18) times, whilst at same time dec once at neck edge in every foll 4th row 7 (8) (9) times. (29 sts).

FONTANA 404

Dec once at armhole edge in every alt row 15 times, whilst at same time dec once at neck edge in every foll 6th row 5 times. (9 sts).

Dec once at armhole edge in every row 6 times, whilst at same time dec once at neck edge in foll 6th row. (2 sts).

P 2 tog. Fasten off.

Slip centre st on to a length of wool and leave. Join in wool at centre front and work on rem sts to correspond with other side.

**THE BACK:** Work as for Front to \*\*\*.

Dec once at each end of needle in next and every alt row until 45 (47) (49) sts rem, then in every row until 31 (33) (35) sts rem.

Cast off.

**SLEEVES:** (both alike). Using No 10 needles and M, cast on 57 (63) (69) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

*Cont on page 6*

# DENIS





## DENIS

**2nd row:** \* K 1, p 1; rep from \* to last st, k 1.

Rep 1st and 2nd rows 11 times, inc once at each end of needle in last row. 59 (65) (71) sts.

Using No 7 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Cont in stst inc once at each end of needle in next and every foll 4th row until there are 101 (107) (113) sts on needle.

Cont in stst until work measures 20 ins or length required.

Shape raglan by casting off 6 sts at beg of next 2 rows. Dec once at each end of needle in next and every alt row until 21 (25) (29) sts rem, then in every row until 7 sts rem. Cast off.

**NECK BAND:** Sew sleeves to front and back, noting that tops of sleeves form part of neckline.

With rsf, using set of four No 10 needles and C, commencing at top of left sleeve knit up 68 (72) (76) sts across top of left sleeve and along left side of neck, k st from thread, 68 (72) (76) sts along right side of neck and across top of right sleeve and 31 (33) (35) sts across

back of neck. 168 (178) (188) sts.

**1st round:** \* K 1, p 1; rep from \* to end of round.

Work 8 rounds in rib, dec once at each side of centre st in every round, keeping centre st plain.

Work 1 round without shaping.

Work 8 rounds in rib, inc once at each side of centre st in every round, keeping centre st plain.

Cast off loosely in rib.

**TO MAKE UP:** With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Fold neck band in half on to wrong side and slip stitch neatly in position. Finally, press all seams.

**END**

## DEREK

*Cont from page 4*

**Shape Shoulder:** 1st row: Cast off

9 10 11 12 12 13 sts work to end.

**2nd row:** Work all across.

**3rd row:** Cast off

10 11 11 12 13 14 sts

**SLEEVES:** Using No 10 needles, cast on

44 46 48 50 52 54 sts

Work in k 1, p 1 rib for 3 ins, inc 1 st at end of last row

45 47 49 51 53 55 sts

now on needle.

Change to No 7 needles and work in stst, inc 1 st at both ends of 7th and every foll 10th row until there are

63 65 67 69 71 73 sts

Cont on these sts until work measures

18 18 18½ 18½ 18½ 18½ ins

from beg, or length required.

**Shape Top:** Cast off 3 sts at beg of next 2 rows, then dec 1 st at both ends of next and every alt row until

45 47 47 49 49 51 sts

rem.

Cast off

7 7 8 8 9 9 sts

at beg of next 4 rows.

Cast off.

**NECK BAND:** Join shoulders of Back and Front. With rsf, using

set of No 9 needles, knit up

86 92 98 104 110 116 sts round neck including sts from stitch holders.

Work in rounds of k 1, p 1 rib for 2½ ins. Cast off loosely in rib.

**TO MAKE UP:** Sew neatly together. Fold neck band in half to wrong side and slip stitch down. Press lightly with a warm iron and a damp cloth, omitting ribbing. Press all seams.

## V NECK JERSEY

**THE FRONT:** Work as for back of Crew Neck Jersey until

67 71 77 81 87 91 sts

rem.

**Next row:** K 2 tog, k

31 33 36 38 41 43 sts

k next st on to a coloured thread, k

31 33 36 38 41 43 sts

k 2 tog.

**Next row:** P

32 34 37 39 42 44 sts

turn.

**Next row:** K 2 tog, k

28 30 33 35 38 40 sts

k 2 tog.

**Next row:** P

30 32 35 37 40 40 sts

Cont dec 1 st at beg of every k row (at neck edge) but keep arm-hole edge straight until

19 21 22 24 25 27 sts

rem.

Cont on these sts without shaping until work measures same as back to beg of shoulder shaping.

**Shape Shoulder:** 1st row: Cast off

9 10 11 12 12 13 sts k to end.

**2nd row:** P.

**3rd row:** Cast off

10 11 11 12 13 14 sts

Work other side to correspond, leaving st on coloured thread until later.

Sew shoulder seams neatly tog.

**NECK BAND:** Using set of No 9 needles and rsf, start at left shoulder seam and k up neatly

31 31 33 33 35 35 sts

including st from coloured thread. K up

30 30 32 32 34 34 sts

to right shoulder seam.

K across

25 26 27 28 29 30 sts

from stitch holder, dec 1 st at centre back on **2nd, 4th and 6th sizes only.**

Work in k 1, p 1 rib for 1¼ ins keeping centre st always k but dec each side of it in each row. Then work a further 1¼ ins inc each side of centre st.

Cast off loosely.

**TO MAKE UP:** As for Crew Neck.

**END**

*All designs are copyright and reproduction in whole or part, without permission from the publishers is forbidden.*

Printed and Published by

**PARAGON ALLIANCE LIMITED**

DUNEDIN, TIMARU, WELLINGTON and AUCKLAND

Also in Australia and South Africa

First Printing



# DESMOND



## MATERIALS:

Fontana Lotus Worsted triple knit 23 (25) (27) ozs  
1 pair each Nos 4 and 8 knitting needles. 3 stitch holders. 3 medium buttons.

**CAUTION:** Accurate results can be obtained only by using the FONTANA wool recommended.

**MEASUREMENTS:** To fit 38 (41) (44) in chest. Length from top of shoulder 26 (26½) (27) ins. Length of sleeve seam 20 ins (all sizes) or length required.

**TENSION:** 8½ sts to 2 inches in stst.

*Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

**ABBREVIATIONS:** See page 7.

**POCKET LININGS:** (make 2). Using No 4 needles, cast on 19 sts.

**1st row:** K.  
**2nd row:** K 1, p to last st, k 1.  
Rep 1st and 2nd rows 10 times.  
Break off wool.

Leave these sts on a stitch holder.

**LEFT FRONT:** Using No 8 needles, cast on 41 (43) (47) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** \* K 1, p 1; rep from \* to last st, k 1.

Rep 1st and 2nd rows twice, inc once at end of needle in last row for **2nd size only**. 41 (44) (47) sts.

Using No 4 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Rep 1st and 2nd rows 10 times.

Place pocket as follows:—

**23rd row:** K 12 (15) (18), sl next 19 sts on to a stitch holder and leave, sl a set of pocket lining sts on to left hand needle (right side facing) and k across these sts to end of row.

Work 11 rows without shaping.

Cont in stst, dec once at end of needle (front edge) in next and every foll 10th (8th) (8th) row until 35 (41) (40) sts rem.

**2nd Size only:** Dec once at end of needle in every foll 10th row until 37 sts rem.

**All sizes:** Work 7 (1) (9) rows without shaping.

**1st and 2nd Sizes only:** Shape Armhole as follows:—

**Next row:** Cast off 6 (7) sts, k to end of row.

**3rd Size only:** Shape Armhole as follows:—

**Next row:** Cast off 8 sts, k to last 2 sts, k 2 tog.

**All sizes:** Dec once at armhole edge in 2nd row and every alt row 4 times, whilst at same time dec once at front edge in 2nd (8th) (10th) row. 23 (24) (25) sts.

Cont dec once at front edge only in 2nd (8th) (10th) row, then every



foll 10th row until 19 (20) (21) sts rem.

Work 8 (6) (8) rows without shaping.

Shape shoulder as follows:—

**1st row:** Work to last 6 (7) (7) sts, turn.

**2nd row:** Work to end of row.

**3rd row:** Work to last 12 (14) (14) sts, turn.

**4th row:** As 2nd row.

Cast off.

**RIGHT FRONT:** Using No 8 needles, cast on 41 (43) (47) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** \* K 1, p 1; rep from \* to last st, k 1.

Rep 1st and 2nd rows twice, inc once at beg of needle in last row for **2nd size only**. 41 (44) (47) sts.

*Cont on page 8*

## ABBREVIATIONS USED THROUGHOUT THIS BOOK

**K**, knit; **p**, purl; **sts**, stitches; **inc**, increase; **dec**, decrease; **ins**, inches; **rsf**, right side facing; **rep**, repeat; **cont**, continues(ing); **rem**, remains(ing); **beg**, beginning; **stst**, stocking stitch (right side k, wrong side p); **tbs**, through back of stitches; **tog**, together; **sl**, slip; **pssso**, pass slipped st over; **foll**, following; **alt**, alternate; **patt**, pattern; **tbl**, through back of loop.

- ✿ Simple enough for a beginner
- ✿✿ Easy for average knitters
- ✿✿✿ More complicated but not difficult





**DEAN**

Page 2



**DEREK**

Page 4



**DENIS**

Page 5



**DESMOND**

Page 7

6 sizes. To fit 34 to 44 inch chest. Requires 18 to 22 ounces FONTANA Sprite Triple knitting.

6 sizes. To fit 34 to 44 inch chest. Requires 20 to 25 ounces FONTANA Pebble Tweed.

3 sizes. To fit 40 to 44 inch chest. Requires 21 to 25 ounces FONTANA Teepee Crepe twist (D.K.).

3 sizes. To fit 38 to 44 inch chest. Requires 23 to 27 ounces FONTANA Lotus Worsted triple knit.

## DESMOND

*Cont from page 7*

Using No 4 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Rep 1st and 2nd rows 10 times.

Place pocket as follows:—

**23rd row:** K 10, sl next 19 sts on to a stitch holder and leave, sl a set of pocket lining sts on to left hand needle (right side facing), k across these sts to end of row.

Cont to correspond with Left Front working shapings at opposite ends of needle.

**THE BACK:** Using No 8 needles, cast on 83 (89) (95) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** \* K 1, p 1; rep from \* to last st, k 1.

Rep last 2 rows twice.

Using No 4 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Rep last 2 rows 45 times.

Shape Armholes by casting off 6 (7) (8) sts at beg of next 2 rows.

Dec once at each end of needle in next and every alt row until 61 (65) (69) sts rem.

Cont without shaping until armholes measures same as Front armholes.

Shape shoulder as follows:—

**1st and 2nd rows:** Work to last 6 (7) (7) sts, turn.

**3rd and 4th rows:** Work to last 12 (14) (14) sts, turn.

**5th and 6th rows:** Work to last 19 (20) (21) sts, turn.

**7th row:** Work to end of row. Cast off.

**SLEEVES:** (both alike). Using No 8 needles, cast on 39 (43) (47) sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** K 1, \* p 1, k 1; rep from \* to end of row.

Rep 1st and 2nd rows 7 times, then 1st row once.

**18th row:** Inc once in first st, (rib 12 (13) (14), inc once in next st) twice, rib 11 (13) (15), inc once in last st. 43 (47) (51) sts.

Using No 4 needles, work as follows:—

**1st row:** K.

**2nd row:** P.

Rep these 2 rows twice.

Cont in stst, inc once at each end of needle in next and every foll 8th row until there are 63 (67) (71) sts on needle.

Cont without shaping until side edge measures 20 ins, or length required, from commencement, finishing with a p row.

Cast off 2 sts at beg of next 2 rows.

Dec once at each end of needle in next and every alt row until 25 sts rem, then in every row until 15 sts rem. Cast off.

**FRONT BAND:** Using No 8 needles, cast on 9 sts.

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** K 1, \* p 1, k 1; rep from \* to end of row.

Rep 1st and 2nd rows once.

**5th row:** Rib 3, cast off 3 sts, rib 3.

**6th row:** Rib 3, cast on 3 sts, rib 3.

Cont in rib, working a buttonhole as before in every foll 17th and 18th rows from previous buttonhole until 3 buttonholes in all have been worked from commencement.

Cont in rib until band is long enough to fit, slightly stretched, along fronts and across back of neck. Cast off in rib.

**POCKET TOPS:** (both alike). Slip set of 19 pocket sts left on stitch holder on to a No 8 needle so that right side of work will be facing when working 1st row.

Using No 8 needles, work as follows:—

**1st row:** K 2, \* p 1, k 1; rep from \* to last st, k 1.

**2nd row:** K 1, \* p 1, k 1; rep from \* to end of row.

Rep 1st and 2nd rows once, then 1st row once.

Cast off in rib.

**TO MAKE UP:** With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Sew front band in position. Slip stitch pocket linings in position on wrong side and pocket tops on right side. Sew on buttons to correspond with buttonholes. Finally, press all seams.

**END**